

<h1 style="font: normal normal normal 2em/normal 'Trebuchet MS', Georgia, Arial, Helvetica, sans-serif; color: #ca0303; padding: 0px; margin: 0px;"></h1>
<div style="clear: both; border-top-color: #ca0303; border-top-width: 2px; border-top-style: solid; padding-bottom: 10px;"></div> <table border="0" align="center" cellpadding="2" cellspacing="0"> <tr> </tr> </table> <table border="0"> <tr> <td style="padding: 1px; margin: 0px;">
</td> <td style="padding: 1px; margin: 0px;"><td style="text-align: justify; padding: 1px; margin: 0px;">Open yourself up to the possibilities that come with the willingness to explore an action-filled life on the back of the Modenas GT128, the moped that exceeds all expectations.◆
For those more concerned with substance over style, rest assured that its 130cc 4-stroke SOHC engine packs 7.18kW horsepower at 7500 revs per minute and a torque of 10.7N.m at 5500 rpm to guarantee you smooth, powerful acceleration.◆

The twin-piston mechanics of the front and rear brake disc systems are assurance that your machine can be brought to a swift and secure halt come rain or shine. The GT128 is not something that will burn a hole in your pocket either; the throttle-positioning sensor (TPS) that accompanies the Keihin carburetor helps you optimize and economize fuel usage while providing a smoother response during acceleration.

The GT128's haughty profile is complemented by its eye-catching crystal tail lights, which bear an uncanny and flattering resemblance to that of superbikes.◆
As one of the best motorbikes in its category, you could hardly go wrong with the Modenas GT128.</td> </tr> </table> <table class="contentpaneopen"> <tr> <td class="contentheading" width="100%" style="padding-top: 5px; padding-right: 0px; padding-bottom: 5px; padding-left: 0px; font-family: Arial, Helvetica, sans-serif; font-size: 40px; line-height: 40px; font-weight: bold; color: #9d1b1f; letter-spacing: -1px; margin: 0px;">Our Price</td> </tr> </table> <table class="contentpaneopen"> <tr> <td style="padding: 1px; margin: 0px;"></td> </tr> </table> <table class="contentpaneopen"> <tr> <td valign="top" colspan="2" style="padding: 1px; margin: 0px;"> <p>◆</p> <h3 style="margin-top: 15px; margin-right: 0px; margin-bottom: 10px; margin-left: 0px; font-weight: normal; font-size: 18px; line-height: 18px; font-family: Arial, Helvetica, sans-serif; color: #9d1b1f; padding: 0px;">Modenas GT128 Sales Price</h3> <h3 style="margin-top: 15px; margin-right: 0px; margin-bottom: 10px; margin-left: 0px; font-weight: normal; font-size: 18px; line-height: 18px; font-family: Arial, Helvetica, sans-serif; color: #9d1b1f; padding: 0px;">RM XXXX (Electric Starter)</h3> <p style="margin-top: 10px; margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding: 0px;">
*Sales price does not include roadtax and insurance.</p> <h3 style="margin-top: 15px; margin-right: 0px; margin-bottom: 10px; margin-left: 0px; font-weight: normal; font-size: 18px; line-height: 18px; font-family: Arial, Helvetica, sans-serif; color: #9d1b1f; text-align: left; padding: 0px;">Please click here to contact us</h3> <p>{jtabs type="content" position="top" width="100%" height="auto" mousetype="click" animType="animMoveVir" skipAnim="false" duration=1000 }</p> <p>[tab title="Features"]</p> <p>◆</p> <p>Features > Click Here</p> <p>◆◆◆ ◆◆</p> <p>[tab]</p> <p>
[tab title="Specifications"]</p> <table class="contentpaneopen"> <tr> <td class="contentheading" width="100%" style="padding-top: 5px; padding-right: 0px; padding-bottom: 5px; padding-left: 0px; font-family: Arial, Helvetica, sans-serif; font-size: 40px; line-height: 40px; font-weight: bold; color: #9d1b1f; letter-spacing: -1px; margin: 0px;">Specs</td> </tr> </table> <table class="contentpaneopen"> <tr> <td style="padding: 1px; margin: 0px;"></td> </tr> </table> <table class="contentpaneopen"> <tr> <td valign="top" colspan="2" style="padding: 1px; margin: 0px;"> <p style="margin-top: 10px; margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding: 0px;">MODENAS GT 128 SPECIFICATIONS</p> <table border="0" width="550"> <tr> <td width="343" style="padding: 1px; margin: 0px;">ENGINE</td> <td width="343" style="padding: 1px; margin: 0px;"></td> </tr> <tr> <td style="background-color: #ececec; padding: 1px; margin: 0px;"> <p style="margin-top: 10px; margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding: 0px;">Engine Type</p> </td> <td style="background-color: #ececec; padding: 1px; margin: 0px;">4-stroke, 1 cyl, SOHC Air cooled</td> </tr> <tr> <td style="padding: 1px; margin: 0px;"> <p style="margin-top: 10px; margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding: 0px;">Bore & Stroke(mm)</p> </td> <td style="padding: 1px; margin: 0px;">53.0 x 59.1
</td> </tr> <tr> <td style="background-color: #ececec; padding: 1px; margin: 0px;">Piston displacement(cm³)</td> <td style="background-color: #ececec; padding: 1px; margin: 0px;">130</td> </tr> <tr> <td width="343" style="padding: 1px; margin: 0px;">Compression Ratio</td> <td width="343" style="padding: 1px; margin: 0px;">10:1</td> </tr> <tr> <td style="background-color: #ececec; padding: 1px; margin: 0px;">Carburetor</td> <td style="background-color: #ececec; padding: 1px; margin: 0px;">KEIHIN NCV24</td> </tr> <tr> <td style="padding: 1px; margin: 0px;">Starter system</td> <td style="padding: 1px; margin: 0px;">kick and electric starter</td> </tr> <tr> <td style="background-color: #ececec; padding: 1px; margin: 0px;">Lubrication system</td> <td style="background-color: #ececec; padding: 1px; margin: 0px;">Forced lub, wet</td> </tr> <tr> <td style="padding: 1px; margin: 0px;">Ignition System</td> <td style="padding: 1px; margin: 0px;">DC-CDI</td> </tr> <tr> <td style="background-color: #ececec; padding: 1px; margin: 0px;">Transmission</td> <td style="background-color: #ececec; padding: 1px; margin: 0px;">
</td> </tr> <tr> <td style="padding: 1px; margin: 0px;">Type</td> <td style="padding: 1px; margin: 0px;">4-speed rotary (down)</td> </tr> <tr> <td style="background-color: #ececec; padding: 1px; margin: 0px;"> <p style="margin-top: 10px; margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding: 0px;">Clutch</p> </td> <td style="background-color: #ececec; padding: 1px; margin: 0px;">Centrifugal and wet</td> </tr> <tr> <td style="padding: 1px; margin: 0px;">Primary Reduction Ratio</td> <td style="padding: 1px; margin: 0px;">3.000 (69/23)</td> </tr> <tr> <td style="background-color: #ececec; padding: 1px; margin: 0px;">Final Reduction Ratio</td> <td style="background-color: #ececec; padding: 1px; margin: 0px;">2.800 (42/15)</td> </tr> <tr> <td style="padding: 1px; margin: 0px;">Driving System</td> <td style="padding: 1px; margin: 0px;">Chain</td> </tr> <tr> <td style="background-color: #ececec; padding: 1px; margin: 0px;">Chassis</td> <td style="background-color: #ececec; padding: 1px; margin: 0px;">
</td> </tr> <tr> <td style="padding: 1px; margin: 0px;">Type</td>

```

<td style="padding: 1px; margin: 0px;">Pipe backbone</td> </tr> <tr> <td
style="background-color: #ececce; padding: 1px; margin: 0px;">Front Suspension</td> <td
style="background-color: #ececce; padding: 1px; margin: 0px;">Telescopic fork</td> </tr> <tr>
<td style="padding: 1px; margin: 0px;">Rear Suspension</td> <td style="padding: 1px;
margin: 0px;">Trailing Swing</td> </tr> <tr> <td style="background-color: #ececce; padding:
1px; margin: 0px;">Front Brake</td> <td style="background-color: #ececce; padding: 1px;
margin: 0px;">Single disc</td> </tr> <tr> <td style="padding: 1px; margin: 0px;">Rear
Brake</td> <td style="padding: 1px; margin: 0px;">Single disc</td> </tr> <tr> <td
style="background-color: #ececce; padding: 1px; margin: 0px;">Electrical System</td> <td
style="background-color: #ececce; padding: 1px; margin: 0px;"></td> </tr> <tr> <td
style="padding: 1px; margin: 0px;">Battery</td> <td style="padding: 1px; margin:
0px;">12V3.5Ah</td> </tr> </table> </td> </tr> </table> <p>[/tab]</p> <p>[tab
title="Colors"]</p> <table class="contentpaneopen"> <tr> <td class="contentheading"
width="100%" style="padding-top: 5px; padding-right: 0px; padding-bottom: 5px; padding-left:
0px; font-family: Arial, Helvetica, sans-serif; font-size: 40px; line-height: 40px; font-weight: bold;
color: #9d1b1f; letter-spacing: -1px; margin: 0px;">Colors</td> </tr> </table> <p>◆</p>
<table class="contentpaneopen"> <tr> <td valign="top" colspan="2" style="padding: 1px;
margin: 0px;"> <table border="0" style="margin-bottom: 8px;"> <tr> <td style="padding: 1px;
margin: 0px;"><br /></td> <td width="10px" style="padding: 1px; margin: 0px;"></td> <td style="padding: 1px; margin:
0px;">Uranium Orange</td> </tr> </table> <table border="0" style="margin-bottom: 8px;">
<tr> <td style="padding: 1px; margin: 0px;"><br /></td> <td width="10px" style="padding: 1px;
margin: 0px;"><br /></td> <td style="padding: 1px; margin:
0px;">Kriptonia Green</td> </tr> </table> <table border="0" style="margin-bottom: 8px;">
<tr> <td style="padding: 1px; margin: 0px;"><br /></td> <td width="10px" style="padding: 1px;
margin: 0px;"></td> <td style="padding: 1px; margin:
0px;">Titanium Silver</td> </tr> </table> <table border="0" style="margin-bottom: 8px;">
<tr> <td style="padding: 1px; margin: 0px;"><br /></td> <td width="10px" style="padding: 1px;
margin: 0px;"></td> <td style="padding: 1px; margin:
0px;">Milenia White</td> </tr> </table> </td> </tr> </table> <p>[/tab]</p> <p>[tab
title="Payment Scheme"]</p> <b> <table class="contentpaneopen" style="cursor: default;
border: 1px dashed #bbbbbb;"> <tr> <td width="100%" class="contentheading" style="color:
#9d1b1f; font-family: Arial, Helvetica, sans-serif; font-size: 40px; cursor: text; padding-top: 5px;
padding-right: 0px; padding-bottom: 5px; padding-left: 0px; line-height: 40px; font-weight: bold;
letter-spacing: -1px; margin: 0px; border: 1px dashed #bbbbbb;">Aeon-Xpress</td> </tr>
</table> <table class="contentpaneopen" style="cursor: default; border: 1px dashed
#bbbbbb;"> <tr> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif;
font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;"></td>
</tr> </table> <table class="contentpaneopen" style="cursor: default; border: 1px dashed
#bbbbbb;"> <tr> <td colspan="2" valign="top" style="color: #000000; font-family: Verdana,
Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px
dashed #bbbbbb;"> <div id="hplogo" style="padding: 0px; margin: 0px;"><br /> <h2

```

style="font-size: 24px; color: #323232; margin-top: 25px; margin-right: 0px; margin-bottom: 10px; margin-left: 0px; font-weight: normal; line-height: 24px; font-family: Arial, Helvetica, sans-serif; text-align: center; width: 500px; background-color: #f0f0ee; padding: 6px;">Modenas GT128 ♦ Easy Payment Scheme

--	--	--

RM X Down Payment (X% per month)

Sales Price	D/payment	1 Year / ♦ / > Monthly
2 Year / ♦ / > Monthly	3 Year / <br / > Monthly	4 Year / <br / > Monthly

Ins. **A/R**

x,xxx	xxx	xx	xx
-------	-----	----	----

cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> </tr> </table> <h4 style="font-size: 16px; color: #323232; margin-top: 15px; margin-right: 0px; margin-bottom: 10px; margin-left: 0px; font-weight: normal; line-height: 16px; font-family: Arial, Helvetica, sans-serif; padding: 0px;">Lowest Down Payment (xx% per month)◆Hot Value!</h4> <table border="0" style="cursor: default; text-align: center; width: 580px; border: 1px dashed #bbbbbb;"> <tr> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">Sales Price</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">D/payment</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">1 Year /◆
Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">2 Year /
Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">3 Year /
Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">4 Year /
Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">x,xxx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">x,xxx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> </tr> </table> <h4 style="font-size: 16px; color: #323232; margin-top: 15px; margin-right: 0px; margin-bottom: 10px; margin-left: 0px; font-weight: normal; line-height: 16px; font-family: Arial, Helvetica, sans-serif; padding: 0px;">Standard Down Payment (xx% per month)</h4> <table border="0" style="cursor: default; text-align: center; width: 580px; border: 1px dashed #bbbbbb;"> <tr> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">Sales Price</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">D/payment</td> <td style="color: #000000; font-family: Verdana, Arial,

Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">1 Year /
Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">2 Year /
Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">3 Year /
Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">4 Year /
Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">x,xxx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">x,xxx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xxx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> </tr> </table> <p style="margin-top: 10px; margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding: 0px;"> </p> <p style="margin-top: 10px; margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding: 0px;"> </p> <p style="margin-top: 10px; margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding: 0px;">*All price at above is calculate by Malaysia Ringgit(RM)</p> </div> </td> </tr> </table> <p>[/tab]
{/jatabs}</p> <p>
</p> <p>◆</p> <p>◆</p> <p>◆</p> </td> </tr> </table>