

<h1 style="font: normal normal normal 2em/normal 'Trebuchet MS', Georgia, Arial, Helvetica, sans-serif; color: #ca0303; padding: 0px; margin: 0px;"> <div style="float: right;"><a href="index.php?option=com\_content&view=article&id=127&Itemid=267"></a></div> </h1> <div style="clear: both; border-top-color: #ca0303; border-top-width: 2px; border-top-style: solid; padding-bottom: 10px;"></div> <table border="0"> <tr> <td style="padding: 1px; margin: 0px;"><br /></td> <td style="padding: 1px; margin: 0px;"> <p>The Kriss 100 is one of the earliest incarnations of the popular Kriss mopeds. Powered by an economical 100cc 4-stroke engine that comes with kick and electric start options, the Kriss 100 is a virtual twin to the other models in the Kriss line but for its drum brake system. Its efficient fuel consumption also guarantees savings, making it an especially economically-attractive buy.<br /><br />Safety, as with all Modenas bikes, is a priority when it comes to this moped's design. An exceptionally wide and bright tail light and the addition of a second brake light ensure that you'll be visible to other road users even under the most adverse road conditions, while the vivid headlights guarantee that no pothole will escape your notice!</p> <p>◆</p> <p>◆</p> </td> </tr> </table> <table class="contentpaneopen"> <tr> <td class="contentheading" width="100%" style="padding-top: 5px; padding-right: 0px; padding-bottom: 5px; padding-left: 0px; font-family: Arial, Helvetica, sans-serif; font-size: 40px; line-height: 40px; font-weight: bold; color: #9d1b1f; letter-spacing: -1px; margin: 0px;">Our Price</td> </tr> </table> <table class="contentpaneopen"> <tr> <td style="padding: 1px; margin: 0px;"></td> </tr> </table> <table class="contentpaneopen"> <tr> <td valign="top" colspan="2" style="padding: 1px; margin: 0px;"> <h3 style="margin-top: 15px; margin-right: 0px; margin-bottom: 10px; margin-left: 0px; font-weight: normal; font-size: 18px; line-height: 18px; font-family: Arial, Helvetica, sans-serif; color: #9d1b1f; padding: 0px;"><strong>Modenas Kriss 100 Sales Price</strong></h3> <h3 style="margin-top: 15px; margin-right: 0px; margin-bottom: 10px; margin-left: 0px; font-weight: normal; font-size: 18px; line-height: 18px; font-family: Arial, Helvetica, sans-serif; color: #9d1b1f; padding: 0px;">RM XXXX (Electric Starter)</h3> <p style="margin-top: 10px; margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding: 0px;"><em><br />\*Sales price does not include roadtax and insurance.</em></p> </td> </tr> </table> <br /> <p>{jtabs type="content" position="top" width="100%" height="auto" mousetype="click" animType="animMoveVir" skipAnim="false" duration=1000 }</p> <p>[tab title="Specifications"]</p> <table class="contentpaneopen"> <tr> <td class="contentheading" width="100%" style="padding-top: 5px; padding-right: 0px; padding-bottom: 5px; padding-left: 0px; font-family: Arial, Helvetica, sans-serif; font-size: 40px; line-height: 40px; font-weight: bold; color: #9d1b1f; letter-spacing: -1px; margin: 0px;">Specs</td> </tr> </table> <table class="contentpaneopen"> <tr> <td style="padding: 1px; margin: 0px;"></td> </tr> </table> <table class="contentpaneopen"> <tr> <td valign="top" colspan="2" style="padding: 1px; margin: 0px;"> <p style="margin-top: 10px; margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding: 0px;">MODENAS KRISS 100 SPECIFICATIONS</p> <table border="0" width="550"> <tr> <td width="343" style="padding: 1px; margin: 0px;"><strong>ENGINE</strong></td> <td width="343" style="padding: 1px; margin: 0px;"><br /></td> </tr> <tr> <td style="background-color: #ecec; padding: 1px; margin: 0px;"> <p style="margin-top: 10px; margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding: 0px;">Engine Type</p> </td> <td style="background-color: #ecec; padding: 1px; margin: 0px;">

0px;">SOHC 4-stroke single cylinder</td> </tr> <tr> <td style="padding: 1px; margin: 0px;">  
<p style="margin-top: 10px; margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding:  
0px;">Bore & Stroke(mm)</p> </td> <td style="padding: 1px; margin: 0px;">50.0 x 49.5  
mm</td> </tr> <tr> <td style="background-color: #ecec; padding: 1px; margin: 0px;">Piston  
displacement(cm $\diamond$ )</td> <td style="background-color: #ecec; padding: 1px; margin:  
0px;">97.2 cc</td> </tr> <tr> <td width="343" style="padding: 1px; margin:  
0px;">Compression Ratio</td> <td width="343" style="padding: 1px; margin: 0px;">9.0:1</td>  
</tr> <tr> <td style="background-color: #ecec; padding: 1px; margin: 0px;">Carburetor</td>  
<td style="background-color: #ecec; padding: 1px; margin: 0px;">Spaco AV 18p-9006</td>  
</tr> <tr> <td style="padding: 1px; margin: 0px;">Starter system</td> <td style="padding: 1px;  
margin: 0px;">Kick and Eletric Starter</td> </tr> <tr> <td style="background-color: #ecec;  
padding: 1px; margin: 0px;">Lubrication system</td> <td style="background-color: #ecec;  
padding: 1px; margin: 0px;">Forced lubrication wet</td> </tr> <tr> <td style="padding: 1px;  
margin: 0px;">Ignition System</td> <td style="padding: 1px; margin: 0px;">Magneto to  
CD1</td> </tr> <tr> <td style="background-color: #ecec; padding: 1px; margin:  
0px;"><strong>Transmission</strong></td> <td style="background-color: #ecec; padding:  
1px; margin: 0px;"><br /></td> </tr> <tr> <td style="padding: 1px; margin: 0px;">Type</td>  
<td style="padding: 1px; margin: 0px;">4-SPEED ROTARY</td> </tr> <tr> <td  
style="background-color: #ecec; padding: 1px; margin: 0px;"> <p style="margin-top: 10px;  
margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding: 0px;">Clutch</p> </td> <td  
style="background-color: #ecec; padding: 1px; margin: 0px;">Centrifugal and wet multiple  
disc</td> </tr> <tr> <td style="padding: 1px; margin: 0px;">Primary Reduction Ratio</td> <td  
style="padding: 1px; margin: 0px;">4.058 (69/17)</td> </tr> <tr> <td style="background-color:  
#ecec; padding: 1px; margin: 0px;">Final Reduction Ratio</td> <td style="background-color:  
#ecec; padding: 1px; margin: 0px;">2.71 (38/14)</td> </tr> <tr> <td style="padding: 1px;  
margin: 0px;">Driving System</td> <td style="padding: 1px; margin: 0px;">Chain</td> </tr>  
<tr> <td style="background-color: #ecec; padding: 1px; margin:  
0px;"><strong>Chassis</strong></td> <td style="background-color: #ecec; padding: 1px;  
margin: 0px;"><br /></td> </tr> <tr> <td style="padding: 1px; margin: 0px;">Type</td> <td  
style="padding: 1px; margin: 0px;">Steel pipe backbone</td> </tr> <tr> <td  
style="background-color: #ecec; padding: 1px; margin: 0px;">Front Suspension</td> <td  
style="background-color: #ecec; padding: 1px; margin: 0px;">Telescopic</td> </tr> <tr> <td  
style="padding: 1px; margin: 0px;">Rear Suspension</td> <td style="padding: 1px; margin:  
0px;">Trailing swing arm</td> </tr> <tr> <td style="background-color: #ecec; padding: 1px;  
margin: 0px;">Front Brake</td> <td style="background-color: #ecec; padding: 1px; margin:  
0px;">Drum</td> </tr> <tr> <td style="padding: 1px; margin: 0px;">Rear Brake</td> <td  
style="padding: 1px; margin: 0px;">Drum</td> </tr> <tr> <td style="background-color:  
#ecec; padding: 1px; margin: 0px;">Electrical System</td> <td style="background-color:  
#ecec; padding: 1px; margin: 0px;"><br /></td> </tr> <tr> <td style="padding: 1px; margin:  
0px;">Battery</td> <td style="padding: 1px; margin: 0px;">12V 5Ah</td> </tr> </table>  
</td> </tr> </table> <p>[/tab]</p> <p>[tab title="Colors"]</p> <table  
class="contentpaneopen"> <tr> <td class="contentheading" width="100%"  
style="padding-top: 5px; padding-right: 0px; padding-bottom: 5px; padding-left: 0px; font-family:  
Arial, Helvetica, sans-serif; font-size: 40px; line-height: 40px; font-weight: bold; color: #9d1b1f;  
letter-spacing: -1px; margin: 0px;">Colors</td> </tr> </table> <p> $\diamond$ </p> <table  
class="contentpaneopen"> <tr> </tr> </table> <p> $\diamond$ </p> <table

```

class="contentpaneopen"> <tr> <td valign="top" colspan="2" style="padding: 1px; margin:
0px;"> <table border="0" style="margin-bottom: 8px;"> <tr> <td style="padding: 1px; margin:
0px;"><br /></td> <td width="10px" style="padding: 1px; margin: 0px;"></td> <td style="padding: 1px; margin: 0px;">Royal Blue<br /></td>
</tr> </table> <table border="0" style="margin-bottom: 8px;"> <tr> <td style="padding: 1px;
margin: 0px;"><br /></td> <td width="10px" style="padding: 1px; margin: 0px;"></td> <td style="padding: 1px; margin: 0px;">Metallic Black<br /></td> </tr> </table>
<table border="0" style="margin-bottom: 8px;"> <tr> <td style="padding: 1px; margin:
0px;"><br /></td> <td width="10px" style="padding: 1px; margin: 0px;"></td>
<td style="padding: 1px; margin: 0px;">Passion Red<br /><br /></td> </tr> </table> </td>
</tr> </table> <p>[/tab]</p> <p>[/tab title="Payment Scheme"]</p> <b> <table
class="contentpaneopen" style="cursor: default; border: 1px dashed #bbbbbb;"> <tr> <td
width="100%" class="contentheading" style="color: #9d1b1f; font-family: Arial, Helvetica,
sans-serif; font-size: 40px; cursor: text; padding-top: 5px; padding-right: 0px; padding-bottom:
5px; padding-left: 0px; line-height: 40px; font-weight: bold; letter-spacing: -1px; margin: 0px;
border: 1px dashed #bbbbbb;">Aeon-Xpress</td> </tr> </table> <table
class="contentpaneopen" style="cursor: default; border: 1px dashed #bbbbbb;"> <tr> <td
style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor:
text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;"></td> </tr> </table> <table
class="contentpaneopen" style="cursor: default; border: 1px dashed #bbbbbb;"> <tr> <td
colspan="2" valign="top" style="color: #000000; font-family: Verdana, Arial, Helvetica,
sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed
#bbbbbb;"> <div id="hplogo" style="padding: 0px; margin: 0px;"><br /> <h2 style="font-size:
24px; color: #323232; margin-top: 25px; margin-right: 0px; margin-bottom: 10px; margin-left:
0px; font-weight: normal; line-height: 24px; font-family: Arial, Helvetica, sans-serif; text-align:
center; width: 500px; background-color: #f0f0ee; padding: 6px;">Modenas Kriss 100♦Easy
Payment Scheme</h2> <table align="center" border="0" style="cursor: default; border: 1px
dashed #bbbbbb;"> <tr> <td style="color: #000000; font-family: Verdana, Arial, Helvetica,
sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed
#bbbbbb;"><br /></td> <td width="30px" style="color: #000000; font-family: Verdana, Arial,
Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px
dashed #bbbbbb;"></td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica,
sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed
#bbbbbb;"> <h3 style="font-size: 18px; color: #9d1b1f; margin-top: 15px; margin-right: 0px;
margin-bottom: 10px; margin-left: 0px; font-weight: normal; line-height: 18px; font-family: Arial,
Helvetica, sans-serif; padding: 0px;"><a
href="index.php?option=com_content&view=article&id=102&Itemid=236" style="color: #417cab;
text-decoration: none;">Please click here to contact us</a></h3> </td> </tr> </table> <h4
style="font-size: 16px; color: #323232; margin-top: 15px; margin-right: 0px; margin-bottom:
10px; margin-left: 0px; font-weight: normal; line-height: 16px; font-family: Arial, Helvetica,
sans-serif; padding: 0px;">RM X Down Payment (X% per month)</h4> <table width="580"
border="0" style="cursor: default; text-align: center; height: 52px; border: 1px dashed
#bbbbbb;"> <tr> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif;

```

font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">Sales Price</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">D/payment</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">1 Year /◆<br />Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">2 Year /◆<br />Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">3 Year /<br />Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">4 Year /<br />Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">Ins.<br />A/R</td> </tr> <tr> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">x,xxx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xxx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> </tr> </table> <h4 style="font-size: 16px; color: #323232; margin-top: 15px; margin-right: 0px; margin-bottom: 10px; margin-left: 0px; font-weight: normal; line-height: 16px; font-family: Arial, Helvetica, sans-serif; padding: 0px;">Lowest Down Payment (xx% per month)◆Hot Value!</h4> <table border="0" style="cursor: default; text-align: center; width: 580px; border: 1px dashed #bbbbbb;"> <tr> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">Sales Price</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">D/payment</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">1 Year /◆<br />Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">2 Year /<br />Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">3 Year /<br />Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text;

```
background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;"/>4 Year  
</br />Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif;  
font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px  
dashed #bbbbbb;"/>Ins.<br />A/R</td> </tr> <tr> <td style="color: #000000; font-family:  
Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px;  
border: 1px dashed #bbbbbb;"/>x,xxx</td> <td style="color: #000000; font-family: Verdana,  
Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px  
dashed #bbbbbb;"/>x,xxx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica,  
sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed  
#bbbbbb;"/>xx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif;  
font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;"/>xx</td>  
<td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px;  
cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;"/>xx</td> <td  
style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor:  
text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;"/>xx</td> <td style="color:  
#000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; padding:  
1px; margin: 0px; border: 1px dashed #bbbbbb;"/>xx</td> </tr> </table> <h4 style="font-size:  
16px; color: #323232; margin-top: 15px; margin-right: 0px; margin-bottom: 10px; margin-left:  
0px; font-weight: normal; line-height: 16px; font-family: Arial, Helvetica, sans-serif; padding:  
0px;"/>Standard Down Payment (xx% per month)</h4> <table border="0" style="cursor: default;  
text-align: center; width: 580px; border: 1px dashed #bbbbbb;"/> <tr> <td style="color:  
#000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text;  
background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;"/>Sales  
Price</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif;  
font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px  
dashed #bbbbbb;"/>D/payment</td> <td style="color: #000000; font-family: Verdana, Arial,  
Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px;  
margin: 0px; border: 1px dashed #bbbbbb;"/>1 Year <br />Monthly</td> <td style="color:  
#000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text;  
background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;"/>2 Year  
<br />Monthly</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif;  
font-size: 11px; cursor: text; background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px  
dashed #bbbbbb;"/>3 Year <br />Monthly</td> <td style="color: #000000; font-family: Verdana,  
Arial, Helvetica, sans-serif; font-size: 11px; cursor: text; background-color: #f0f0ee; padding:  
1px; margin: 0px; border: 1px dashed #bbbbbb;"/>4 Year <br />Monthly</td> <td style="color:  
#000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor: text;  
background-color: #f0f0ee; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;"/>Ins.<br  
</A/R</td> </tr> <tr> <td style="color: #000000; font-family: Verdana, Arial, Helvetica,  
sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed  
#bbbbbb;"/>x,xxx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica,  
sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed  
#bbbbbb;"/>x,xxx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica,  
sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed  
#bbbbbb;"/>xxx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica,  
sans-serif; font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed  
#bbbbbb;"/>xx</td> <td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif;
```

font-size: 11px; cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td>  
<td style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px;  
cursor: text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> <td  
style="color: #000000; font-family: Verdana, Arial, Helvetica, sans-serif; font-size: 11px; cursor:  
text; padding: 1px; margin: 0px; border: 1px dashed #bbbbbb;">xx</td> </tr> </table> <p  
style="margin-top: 10px; margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding:  
0px;"><em> </em></p> <p style="margin-top: 10px; margin-right: 0px; margin-bottom: 15px;  
margin-left: 0px; padding: 0px;"><em> </em></p> <em> <p style="margin-top: 10px;  
margin-right: 0px; margin-bottom: 15px; margin-left: 0px; padding: 0px;">\*All price at above is  
calculate by Malaysia Ringgit(RM)</p> </em></div> </td> </tr> </table> </b> <p>[/tab]<br  
</jatabs></p>